According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version	Revision Date:	SDS Number:	Date of last issue: 12.01.2022
3.6	23.09.2022	800001006652	Print Date 24.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: Shell Gadus S2 V220 00
Product code	: 001D8449

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Automotive and industrial grease.
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup- plier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Jungent Estonia OU
	Paldiski mnt 11
	10137 Tallinn
	Estonia
Telephone	: (+372) 6663800
Telefax	: (+372) 6663801
Contact for Safety Data Sheet	: jungent@jungent.ee

1.4 Emergency telephone number

: (+372) 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)				
Hazard pictograms Signal word	:	No Hazard Symbol required No signal word		
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP criteria.		
		HEALTH HAZARDS:		

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version 3.6	Revision Date: 23.09.2022	SDS Number: 800001006652	Date of last issue: 12.01.2022 Print Date 24.09.2022	
		ENVIRC	sified as a health hazard under CLP criteria. NMENTAL HAZARDS: sified as environmental hazard according to	
Preca	utionary statements	: Prevention:		
	,	No preca	autionary phrases.	
		Response:		
		No preca	autionary phrases.	
		Storage:		
		No preca	autionary phrases.	
		Disposal:		
		No preca	autionary phrases.	
Safety	y data sheet available o	on request.		
Sensi	tising components	Contains napht Contains Zinc N	ith Naphthenate. henic acid.	

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used grease may contain harmful impurities.

High-pressure injection under the skin may cause serious damage including local necrosis. Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	 A lubricating grease containing highly-refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO-extract, according to IP346. Classification based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L).
-----------------	---

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Bismuth Naphthenate	85736-59-0	Skin Sens. 1B; H317	0,1 - 0,99

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version 3.6	Revision Date: 23.09.2022	SDS Number: 800001006652	Date of last issue: 12.01.202 Print Date 24.09.2022	2
		288-470-5 01-212076950	Eye Irrit. 2; H319	
Naph	thenic acid	1338-24-5 215-662-8 01-21195524	Skin Irrit. 2; H315 Skin Sens. 1; H317 77-31 Eye Irrit. 2; H319	0,1 - 0,99
Zinc r	naphthenate	84418-50-8 282-762-6 01-21199885	Skin Sens. 1B; H317 Eye Irrit. 2; H319 00-34 Aquatic Chronic 2; H411	0,1 - 0,99
Alkyl	thiadiazole	Not Assigned 948-020-7 01-21207927	Skin Sens. 1A; H317	0 - < 0,09

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders :	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
If inhaled :	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact :	Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
	When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop. Obtain medical attention even in the absence of apparent wounds.
In case of eye contact :	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.
If swallowed :	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms :		Oil acne/folliculitis signs and symptoms may include formation
------------	--	--

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version 3.6	Revision Date: 23.09.2022		S Number: 0001006652	Date of last issue: 12.01.2022 Print Date 24.09.2022	
				and spots on the skin of exposed areas. ult in nausea, vomiting and/or diarrhoea.	
		Local necrosis is evidenced by delayed onset of pain and tissue damage a few hours following injection.			
4.3 Indicati	on of any immediate r	med	lical attention and	special treatment needed	
Treatment : Notes to doctor/physician: Treat symptomatically. High pressure injection injuries require prompt surgical int vention and possibly steroid therapy, to minimise tissue da age and loss of function. Because entry wounds are small and do not reflect the se ousness of the underlying damage, surgical exploration to determine the extent of involvement may be necessary. L anaesthetics or hot soaks should be avoided because the can contribute to swelling, vasospasm and ischaemia. Pro surgical decompression, debridement and evacuation of f eign material should be performed under general anaesth ics, and wide exploration is essential.					
SECTION	5: Firefighting meas	sure	es		
5.1 Extingu	uishing media				
-	le extinguishing media	:		v or fog. Dry chemical powder, carbon diox- may be used for small fires only.	
Unsuit media	able extinguishing	:	Do not use water i	n a jet.	
5 2 Special	hazards arising from	the	substance or mix	fure	
-	c hazards during fire-		Hazardous combu A complex mixture gases (smoke). Carbon monoxide occurs.	stion products may include: e of airborne solid and liquid particulates and may be evolved if incomplete combustion ic and inorganic compounds.	
5.3 Advice	for firefighters				
Specia	I protective equipment fighters	:	gloves are to be w large contact with Breathing Apparat a confined space.	equipment including chemical resistant orn; chemical resistant suit is indicated if spilled product is expected. Self-Contained us must be worn when approaching a fire in Select fire fighter's clothing approved to s (e.g. Europe: EN469).	

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version	Revision Date:	SDS Number:	Date of last issue: 12.01.2022
3.6	23.09.2022	800001006652	Print Date 24.09.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures						
Personal precautions :	6.1.1 For non emergency personnel:Avoid contact with skin and eyes.6.1.2 For emergency responders:Avoid contact with skin and eyes.					
6.2 Environmental precautions						
Environmental precautions :	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.					
6.3 Methods and material for containment and cleaning up						
Methods for cleaning up :	Prevent from spreading or entering into drains, ditches or riv- ers by using sand, earth, or other appropriate barriers.					

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	I	
Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.

7.2 Conditions for safe storage, including any incompatibilities

Further information on stor- age stability	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.
		Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version 3.6	Revision Date: 23.09.2022	SDS Number: 800001006652	Date of last issue: 12.01.2022 Print Date 24.09.2022
Packa	aging material		rial: For containers or container linings, use mild density polyethylene. aterial: PVC.
Conta	iner Advice		containers should not be exposed to high tem- ause of possible risk of distortion.
•	ic end use(s) fic use(s)	: Not applicable	9

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral	Not As- signed	Piirnorm (Vapour)	1 mg/m3	EE OEL
Oil mist, mineral		TWA (inhalable fraction)	5 mg/m3	US. ACGIH Threshold Limit Values

Biological occupational exposure limits

No biological limit allocated.

8.2 Exposure controls

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Due to the product's semi-solid consistency, generation of mists and dusts is unlikely to occur.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version	Revision Date:	SDS Number:	Date of last issue: 12.01.2022
3.6	23.09.2022	800001006652	Print Date 24.09.2022

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	:	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection		
Remarks	:	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with break-through time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.
Skin and body protection	:	Skin protection is not ordinarily required beyond standard work clothes. It is good practice to wear chemical resistant gloves.
Respiratory protection	:	No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precau- tions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentra- tions to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the spe- cific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version	Revision Date:	SDS Number:	Date of last issue: 12.01.2022
3.6	23.09.2022	800001006652	Print Date 24.09.2022
		priate combinat Select a filter su	ng respirators are suitable, select an appro- ion of mask and filter. uitable for combined particulate/organic gases ype A/Type P boiling point > 65°C (149°F)] 87 and EN143.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	Semi-solid at ambient temperature.
Colour	:	brown
Odour	:	Slight hydrocarbon
Odour Threshold	:	Data not available
Drop point	:	>= 165 °C Method: Unspecified
Melting point/freezing point		Data not available
Initial boiling point and boiling range	:	Data not available
Flammability		
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not classified as flammable but will burn.
Lower explosion limit and uppe	er ez	xplosion limit / flammability limit
Upper explosion limit / upper flammability limit	:	Typical 10 %(V)
Lower explosion limit / Lower flammability limit	:	Typical 1 %(V)
Flash point	:	Not applicable
Auto-ignition temperature	:	> 320 °C
Decomposition temperature Decomposition tempera- ture	:	Data not available
рН	:	Not applicable
Viscosity Viscosity, dynamic	:	Data not available

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Vers 3.6	sion	Revision Date: 23.09.2022		S Number: 0001006652	Date of last issue: 12.01.2022 Print Date 24.09.2022
	Vis	cosity, kinematic	:	Not applicable	
		ity(ies) ter solubility	:	negligible	
	Sol	ubility in other solvents	:	Data not availab	le
		on coefficient: n- I/water	:	log Pow: > 6 (based on inform	nation on similar products)
	Vapou	r pressure	:	< 0,5 Pa (20 °C) estimated value(
	Relativ	e density	:	1,000 (15 °C)	
	Densit	у	:	1.000 kg/m3 (15 Method: Unspec	
	Relativ	e vapour density	:	> 1 estimated value(s)
9.2	Other i	nformation			
	Explos	ives	:	Classification Co	de: Not classified
	Oxidizi	ing properties	:	Data not availab	le
	Flamm	ability (liquids)	:	Not classified as	flammable but will burn.
	Evapo	ration rate	:	Data not availab	le
	Condu	ctivity	:	This material is r	not expected to be a static accumulator.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Reacts with strong oxidising agents.
---------------------	---	--------------------------------------

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version	Revision Date: 23.09.2022	SDS Number:	Date of last issue: 12.01.2022
3.6		800001006652	Print Date 24.09.2022

10.5 Incompatible materials

Materials to avoid

: Strong oxidising agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of	:	Skin and eye contact are the primary routes of exposure alt-
exposure		hough exposure may occur following accidental ingestion.

Acute toxicity			
Product:			
Acute oral toxicity	:	LD50 (rat): > 5.000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.	
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.	
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.	
Skin corrosion/irritation			
Product:			
Remarks	:	Slightly irritating to skin. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Based on available data, the classification criteria are not met.	
Serious eye damage/eye irr	itat	ion	
<u>Product:</u> Remarks	:	Slightly irritating to the eye. Based on available data, the classification criteria are not met.	
Respiratory or skin sensitisation			
Product:			
Remarks	:	For respiratory and skin sensitisation: Not a sensitiser.	
		10 / 18	

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version 3.6	Revision Date: 23.09.2022		0S Number: 0001006652	Date of last issue: 12.01.2022 Print Date 24.09.2022
			Based on availab	le data, the classification criteria are not met.
<u>Co</u>	mponents:			
	phthenic acid: marks	:	May cause an alle	ergic skin reaction in sensitive individuals.
Ge	rm cell mutagenicity			
	oduct: notoxicity in vivo	:	Remarks: Non m	
			Based on availab	le data, the classification criteria are not met.
	Germ cell mutagenicity- As- sessment		This product does categories 1A/1B	s not meet the criteria for classification in
Ca	rcinogenicity			
Pro	oduct:			
Re	marks	:	Not a carcinogen. Based on availab	le data, the classification criteria are not met.
Re	marks	:	carcinogenic in a Highly refined mir	mineral oils of types shown to be non- nimal skin-painting studies. neral oils are not classified as carcinogenic al Agency for Research on Cancer (IARC).
Ca me	rcinogenicity - Assess- ent	:	This product does categories 1A/1B	s not meet the criteria for classification in

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

Product:		
Effects on fertility	:	Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.
Reproductive toxicity - As- sessment	:	This product does not meet the criteria for classification in categories 1A/1B.
OTOT		

STOT - single exposure

Product:

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version 3.6	Revision Date: 23.09.2022	-	DS Number: 00001006652	Date of last issue: 12.01.2022 Print Date 24.09.2022	
Rem	narks	:	Based on availab	le data, the classification criteria are not met.	
STC	T - repeated exposure				
	duct:		Deceden sucial		
Rem	narks	:	Based on availab	le data, the classification criteria are not met.	
Asp	iration toxicity				
	Product: Not an aspiration hazard., Based on available data, the classification criteria are not met.				
11.2 Info	11.2 Information on other hazards				
Furt	Further information				
	<u>duct:</u> narks	:	mulated during us ties will depend o and the environm ALL used grease	contain harmful impurities that have accu- se. The concentration of such harmful impuri- n use and they may present risks to health ent on disposal. should be handled with caution and skin as far as possible.	
Rem	narks	:		ection of product into the skin may lead to ne product is not surgically removed.	
Rem	narks	:	Slightly irritating t	o respiratory system.	
Rem	narks	:	Classifications by frameworks may	other authorities under varying regulatory exist.	
Rem	narks	:		otherwise, the data presented is representa- t as a whole, rather than for individual com-	

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae/aquatic plants	:	Remarks: LL/EL/IL50 > 100 mg/l

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version 3.6	Revision Date: 23.09.2022		DS Number: 00001006652	Date of last issue: 12.01.2022 Print Date 24.09.2022
			Practically non tox Based on available	c: data, the classification criteria are not met.
Toxici icity)	ty to fish (Chronic tox-	:	Remarks: Based or met.	available data, the classification criteria are not
	ty to daphnia and other c invertebrates (Chron- city)		Remarks: Based or met.	available data, the classification criteria are not
Toxici	ty to microorganisms	:	Remarks: Based on available data, the classification criteria are not met.	
12.2 Persis	stence and degradabil	ity		
<u>Produ</u> Biode	<u>ict:</u> gradability	:		ily biodegradable. are inherently biodegradable, but contains com- ersist in the environment.
12.3 Bioac	cumulative potential			
Produ Bioace	<u>ict:</u> cumulation	:	Remarks: Contains	components with the potential to bioaccumulate.
12.4 Mobil	ity in soil			
Produ	ict:			
Mobili	ty	:		olid under most environmental conditions., If Il adsorb to soil particles and will not be mo-
			Remarks: Floats	on water.
12.5 Resu	Its of PBT and vPvB as	sse	ssment	
<u>Produ</u>	ict:			
Asses	sment	:		s not contain any REACH registered sub- assessed to be a PBT or a vPvB
	crine disrupting prope a available	ertie	es	
12.7 Other	adverse effects			
<u>Produ</u>	ict:			
	onal ecological infor-	:	tion potential or glo	ne depletion potential, photochemical ozone crea- obal warming potential. e of non-volatile components, which will not be
			13 / 18	

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version 3.6	Revision Date: 23.09.2022	SDS Number: 800001006652	Date of last issue: 12.01.2022 Print Date 24.09.2022		
		released to air in an of use.	ny significant quantities under normal conditions		
		Poorly soluble mixture. Causes physical fouling of aquatic organisms.			
		Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).			
		Mineral oil does no concentrations less	ot cause chronic toxicity to aquatic organisms at than 1 mg/l.		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

:	Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination. Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.
	MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships.
:	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
:	
	EU Waste Disposal Code (EWC):
:	
	12 01 12*
	:

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version	Revision Date:	SDS Number:	Date of last issue: 12.01.2022
3.6	23.09.2022	800001006652	Print Date 24.09.2022
Rema	arks	national, and lo	d be in accordance with applicable regional, cal laws and regulations. f waste is always the responsibility of the end

SECTION 14: Transport information

14.1 UN number or ID number						
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good				
14.2 UN proper shipping name						
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good				
14.3 Transport hazard class(es)						
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good				
14.4 Packing group						
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good				
14.5 Environmental hazards						
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
14.6 Special precautions for user						
Remarks	:	Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.				

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version	Revision Date:	SDS Number:
3.6	23.09.2022	800001006652

Date of last issue: 12.01.2022 Print Date 24.09.2022

14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV) : Product is not subject to Authorisation under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

The components of this product are reported in the following inventories:

REACH	:	Not established.
NEAGH	•	NUL ESLADIISTI

TSCA : All components listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements						
H315	:	Causes skin irritation.				
H317	:	May cause an allergic skin reaction.				
H319	:	Causes serious eye irritation.				
H332	:	Harmful if inhaled.				
H411	:	Toxic to aquatic life with long lasting effects.				
H413	:	May cause long lasting harmful effects to aquatic life.				
Full text of other abbreviations						
Acute Tox.	:	Acute toxicity				
Aquatic Chronic	:	Long-term (chronic) aquatic hazard				
Eye Irrit.	:	Eye irritation				
Skin Irrit.	:	Skin irritation				
Skin Sens.	:	Skin sensitisation				
EE OEL	:	Estonia. Limit values for chemical hazards in the working envi-				
EE OEL / Piirnorm	:	ronment Average quantity of chemical substance in respiratory air dur- ing one working day or one working week				

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version	Revision Date:	SDS Number:	Date of last issue: 12.01.2022
3.6	23.09.2022	800001006652	Print Date 24.09.2022

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous substances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS.

A vertical bar (|) in the left margin indicates an amendment from the previous version.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Gadus S2 V220 00

Version Revision Date: 3.6 23.09.2022

SDS Number: 800001006652 Date of last issue: 12.01.2022 Print Date 24.09.2022