according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

 Version
 Revision Date:
 Date of last issue: 08.09.2021
 Print Date: 11.10.2021

 3.6
 11.10.2021
 Date of first issue: 28.07.2015
 11.10.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : PETAMO GHY 133 N (H)

Article-No. : 094148

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Grease

stance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München

Geisenhausenerstr. 7 81379 München Deutschland

Tel: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333

info@klueber.com

E-mail address of person : mcm@klueber.com

responsible for the SDS Material Compliance Management

National contact : Klüber Lubrication Nordic A/S

c/o Azets Insight Oy Elielinaukio 5 B 00100 Helsinki

Finland

Tel: +358 207 497 970 Fax: +358 207 497 970 klueber.fi@fi.klueber.com

1.4 Emergency telephone number

Emergency telephone num- : +49 89 7876 700 (24 hrs)

ber

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat- H411: Toxic to aquatic life with long lasting effects.

egory 2



according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

¥2>

Hazard statements : H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

**Additional Labelling** 

EUH208 Contains Condensation products of fatty acids, tall oil with 2-amino-2-

ethylpropanediol. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

Chemical nature : Mineral oil.

Synthetic hydrocarbon oil

polyurea

Components

Chemical name	CAS-No.	Classification	specific concen-	Concentration
	EC-No.		tration limit	(% w/w)
			M-Factor	
	Index-No.		Notes	
	Registration number		Acute toxicity	
			estimate	



according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



# PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.611.10.2021Date of first issue: 28.07.201511.10.2021

reaction product of diphenylme- thanediisocyanate, octylamine, oleyla- mine and cyclohexyl- amine (1:1.58:0.32:0.097)	430-980-9 01-0000017722-71- 0001 01-0000017722-71- 0002 01-0000017722-71- 0000	Aquatic Chronic4; H413		>= 2,5 - < 10		
Phenol, isopropylated, phosphate (3:1)	68937-41-7 273-066-3 01-2119535109-41- XXXX	Repr.2; H361 STOT RE2; H373 Aquatic Chronic1; H410	M-Factor: /10	>= 1 - < 2,5		
Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol	946-010-7 01-2120770934-44- XXXX	Skin Sens.1; H317		>= 0,1 - < 1		
triphenyl phosphate	115-86-6 204-112-2	Aquatic Acute1; H400 Aquatic Chronic2; H411	M-Factor: 1/1	>= 0,25 - < 1		
Substances with a workplace exposure limit :						
residual oils (petrole- um), hydrotreated	64742-57-0 265-160-8 649-470-00-4 01-2119489287-22- XXXX	Not classified	Note L	>= 50 - < 70		

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

If inhaled : Obtain medical attention.

Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical



according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Take off all contaminated clothing immediately.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Obtain medical attention.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Allergic appearance

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides

Oxides of phosphorus

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.



according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational Exposure Limits**

•				
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
residual oils (petro- leum), hydrotreat- ed	64742-57-0	Piirnorm (Va- pour)	1 mg/m3	EE OEL (2018-03-06)
triphenyl phos- phate	115-86-6	Piirnorm	3 mg/m3	EE OEL (2001-09-18)

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
residual oils (petrole- um), hydrotreated	Workers	Inhalation	Long-term systemic effects	2,7 mg/m3
	Workers	Inhalation	Acute systemic effects	5,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	1 mg/kg
O,O,O-triphenyl phosphorothioate	Workers	Inhalation	Long-term systemic effects	1,39 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,4 mg/kg
Phenol, isopropylated, phosphate (3:1)	Workers	Inhalation	Long-term systemic effects	0,145 mg/m3
	Workers	Inhalation	Acute systemic ef-	700 mg/m3



according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



# PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

			fects	
	Workers	Skin contact	Long-term systemic effects	0,416 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	2000 mg/kg bw/day
	Workers	Skin contact	Acute local effects	16 mg/cm2
Condensation prod- ucts of fatty acids, tall oil with 2-amino-2- ethylpropanediol	Workers	Dermal	Long-term systemic effects	8,33 mg/kg bw/day
triphenyl phosphate	Workers	Inhalation	Long-term systemic effects	5,2 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,55 mg/kg bw/day

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
O,O,O-triphenyl phosphorothio- ate	Sewage treatment plant	1 mg/l
	Soil	2,37 mg/l
Phenol, isopropylated, phosphate (3:1)	Fresh water	0 mg/l
	Intermittent use/release	0,015 mg/l
	Marine water	0 mg/l
	Sewage treatment plant	100 mg/kg
	Fresh water sediment	0,185 mg/kg dry weight (d.w.)
	Marine sediment	0,018 mg/kg dry weight (d.w.)
	Soil	2,5 mg/kg dry weight (d.w.)
	Oral	1,85 mg/kg
triphenyl phosphate	Fresh water	0,004 mg/l
	Intermittent use/release	0,003 mg/l
	Marine water	0,0004 mg/l
	Sewage treatment plant	5 mg/l
	Fresh water sediment	1,103 mg/kg dry weight (d.w.)
	Marine sediment	0,11 mg/kg dry weight (d.w.)
	Soil	0,218 mg/kg dry weight (d.w.)
	Oral	16,667 mg/kg

## 8.2 Exposure controls

## **Engineering measures**

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

## Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection



according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

 Version
 Revision Date:
 Date of last issue: 08.09.2021
 Print Date:

 3.6
 11.10.2021
 Date of first issue: 28.07.2015
 11.10.2021

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : brown

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability : Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Flash point : Not applicable

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

Auto-ignition temperature : No data available

Decomposition temperature

Decomposition tempera-

ture

No data available

pH : Not applicable

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,900 (20 °C)

Reference substance: Water The value is calculated

Density : 0,90 g/cm3

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



# PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

## 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

## 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

#### **Product:**

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

## **Components:**

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity



according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

Phenol, isopropylated, phosphate (3:1):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 200 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg

GLP: no

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 425

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

triphenyl phosphate:

Acute oral toxicity : LD50 (Rat): > 20.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 200 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg

Method: OECD Test Guideline 402

residual oils (petroleum), hydrotreated:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

**Product:** 

Remarks : This information is not available.

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



# PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

#### Components:

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

## Phenol, isopropylated, phosphate (3:1):

Species : Rabbit Exposure time : 72 h

Assessment : No skin irritation Result : No skin irritation

GLP : no

## Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species : reconstructed human epidermis (RhE)

Assessment : No skin irritation Result : No skin irritation

triphenyl phosphate:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : ves

## residual oils (petroleum), hydrotreated:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

## Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

#### **Components:**

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes



according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



# PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.611.10.2021Date of first issue: 28.07.201511.10.2021

## Phenol, isopropylated, phosphate (3:1):

Species : Rabbit

Assessment : No eye irritation Result : No eye irritation

GLP : no

## Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species : Rabbit

Assessment : No eye irritation Result : No eye irritation

## triphenyl phosphate:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

## residual oils (petroleum), hydrotreated:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

#### Respiratory or skin sensitisation

#### **Product:**

Remarks : This information is not available.

#### Components:

# reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

## Phenol, isopropylated, phosphate (3:1):

Species : Mouse

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 429

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



# PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.611.10.2021Date of first issue: 28.07.201511.10.2021

#### Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Assessment : May cause sensitisation by skin contact.
Result : May cause sensitisation by skin contact.

triphenyl phosphate:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

residual oils (petroleum), hydrotreated:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.
Result : Does not cause respiratory sensitisation.

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:** 

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster cells Method: OECD Test Guideline 473

Result: negative

Germ cell mutagenicity- As-

Tests on bacterial or mammalian cell cultures did not show

sessment mutagenic effects.

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

 Version
 Revision Date:
 Date of last issue: 08.09.2021
 Print Date:

 3.6
 11.10.2021
 Date of first issue: 28.07.2015
 11.10.2021

triphenyl phosphate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

Product:

Remarks : No data available

**Components:** 

triphenyl phosphate:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

residual oils (petroleum), hydrotreated:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

**Components:** 

Phenol, isopropylated, phosphate (3:1):

Reproductive toxicity - As-

sessment

- Fertility -

Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

- Teratogenicity -

Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Reproductive toxicity - As-

: - Fertility -

sessment

Animal testing did not show any effects on fertility.

a brand of
FREUDENBERG

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

 Version
 Revision Date:
 Date of last issue: 08.09.2021
 Print Date:

 3.6
 11.10.2021
 Date of first issue: 28.07.2015
 11.10.2021

triphenyl phosphate:

Effects on foetal develop-

ment

Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: >= 200 mg/kg body weight

Teratogenicity: NOAEL: >= 200 mg/kg body weight

Developmental Toxicity: NOAEL: >= 200 mg/kg body weight Embryo-foetal toxicity: NOAEL: >= 200 mg/kg body weight

Method: OECD Test Guideline 414

Result: No effects on fertility and early embryonic develop-

ment were detected.

Reproductive toxicity - As-

sessment

- Fertility -

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

STOT - single exposure

**Components:** 

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Components:

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Phenol, isopropylated, phosphate (3:1):

Exposure routes : Ingestion

Target Organs : ovaries, Testes, Liver, Adrenal gland

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



# PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.611.10.2021Date of first issue: 28.07.201511.10.2021

#### Components:

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Species : Rat

NOAEL : 1.000 mg/kg

Application Route : Oral

Method : OECD Test Guideline 407

triphenyl phosphate:

Species : Rat

NOAEL : 105 mg/kg

Application Route : Oral

Method : OECD Test Guideline 408

Species : Rabbit
NOAEL : 1.000 mg/kg
Application Route : Dermal

#### **Aspiration toxicity**

#### **Product:**

This information is not available.

#### Components:

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

No aspiration toxicity classification

# Phenol, isopropylated, phosphate (3:1):

No aspiration toxicity classification

## triphenyl phosphate:

No aspiration toxicity classification

## residual oils (petroleum), hydrotreated:

No aspiration toxicity classification

## **Further information**

**Product:** 

Remarks : Information given is based on data on the components and

the toxicology of similar products.

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: Toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

## **Components:**

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

GLP: yes

Phenol, isopropylated, phosphate (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l

Exposure time: 96 h
Test Type: static test

Remarks: Information given is based on tests on the mixture

itself.

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,44 mg/l

Exposure time: 48 h Test Type: semi-static test

Remarks: Information given is based on tests on the mixture

itself.

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 2,5

mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Remarks: Information given is based on tests on the mixture

itself.

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,0031 mg/l

Exposure time: 33 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,0415 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

10

triphenyl phosphate:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0,4 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,36 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,25

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

EL10 (Pseudokirchneriella subcapitata (green algae)): 0,25

ma/l

Exposure time: 96 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

1

NOEC (activated sludge): 100 mg/l Toxicity to microorganisms

Exposure time: 28 h

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.611.10.2021Date of first issue: 28.07.201511.10.2021

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,037 mg/l Exposure time: 30 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,254 mg/l Exposure time: 21 d

es (Chron- Exposure time:

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

: 1

residual oils (petroleum), hydrotreated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h Test Type: Immobilization

12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Physico-chemical removabil- :

itν

Remarks: No data available

#### **Components:**

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not readily biodegradable.

Biodegradation: 23,9 % Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: ves

Phenol, isopropylated, phosphate (3:1):

Biodegradability : Result: Not rapidly biodegradable

Biodegradation: 17,9 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

Biodegradability Result: Not rapidly biodegradable

triphenyl phosphate:

Biodegradability Test Type: aerobic

> Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: 83 - 94 %

Exposure time: 28 d

Method: OECD Test Guideline 301C

residual oils (petroleum), hydrotreated:

Biodegradability : Result: Not rapidly biodegradable

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Partition coefficient: n-

log Pow: > 6 (20 °C)

Method: OECD Test Guideline 117 octanol/water

Phenol, isopropylated, phosphate (3:1):

Partition coefficient: n-

octanol/water

log Pow: 4,92 - 5,17 (25 °C)

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Bioaccumulation Bioconcentration factor (BCF): < 100

Partition coefficient: n-

octanol/water

log Pow: 9,01

triphenyl phosphate:

Bioaccumulation Species: Oryzias latipes (Orange-red killifish)

> Exposure time: 18 d Concentration: 0,01 mg/l

Bioconcentration factor (BCF): 144

Partition coefficient: n-

octanol/water

log Pow: 4,6 (20 °C)



according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



# PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

## 12.4 Mobility in soil

**Product:** 

Mobility Remarks: No data available

Distribution among environ-

mental compartments

Remarks: No data available

## 12.5 Results of PBT and vPvB assessment

**Product:** 

This substance/mixture contains no components considered Assessment

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

#### **Components:**

Phenol, isopropylated, phosphate (3:1):

Assessment Non-classified PBT substance. Non-classified vPvB sub-

stance.

## 12.6 Endocrine disrupting properties

**Product:** 

The substance/mixture does not contain components consid-Assessment

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

**Product:** 

Additional ecological infor-

mation

: Toxic to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.



according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12\*, spent waxes and fats

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

 ADR
 : UN 3077

 RID
 : UN 3077

 IMDG
 : UN 3077

 IATA
 : UN 3077

## 14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Triaryl Phosphate Isopropylated, triphenyl phosphate)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Triaryl Phosphate Isopropylated, triphenyl phosphate)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S

(Triaryl Phosphate Isopropylated, triphenyl phosphate)

**IATA** : Environmentally hazardous substance, solid, n.o.s.

(Triaryl Phosphate Isopropylated, triphenyl phosphate)

## 14.3 Transport hazard class(es)

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

## 14.4 Packing group

**ADR** 



according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

 Version
 Revision Date:
 Date of last issue: 08.09.2021
 Print Date: 11.10.2021

 3.6
 11.10.2021
 Date of first issue: 28.07.2015
 11.10.2021

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**RID** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

 Version
 Revision Date:
 Date of last issue: 08.09.2021
 Print Date:

 3.6
 11.10.2021
 Date of first issue: 28.07.2015
 11.10.2021

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

Article 57).
Not applicable

Not applicable

Not applicable

Not applicable

This product does not contain sub-

stances of very high concern (Regu-

lation (EC) No 1907/2006 (REACH),

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

(EU SVHC)

REACH - List of substances subject to authorisation

(Annex XIV)

(EU. REACH - Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer (EC 1005/2009)

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast) (EU POP)

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

(EU PIC)

Seveso III: Directive 2012/18/EU of the European : E2 ENVIRONMENTAL HAZARDS

Parliament and of the Council on the control of major-accident hazards involving dangerous sub-

stances.

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 2,18 %

15.2 Chemical safety assessment

This information is not available.

**SECTION 16: Other information** 

**Full text of H-Statements** 

H317 : May cause an allergic skin reaction.

H361 : Suspected of damaging fertility or the unborn child.

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

H413 : May cause long lasting harmful effects to aquatic life.

#### Full text of other abbreviations

Note L : The classification as a carcinogen need not apply if it can be

shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

EE OEL : Estonia. Limit values for chemical hazards in the working envi-

ronment

EE OEL / Piirnorm : Average quantity of chemical substance in respiratory air dur-

ing one working day or one working week

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency: EC-Number - European Community number: ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet;

according to Regulation (EC) No. 1907/2006 - EE (Commission Regulation (EU) 2020/878)



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.6 11.10.2021 Date of first issue: 28.07.2015 11.10.2021

SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Further information** 

Classification of the mixture: Classification procedure:

Aquatic Chronic 2 H411 Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.